PK-T.leucotreta-050W - 50rxns

For research purposes only. Not for use in diagnostic procedures for clinical purposes. FOR IN VITRO USE ONLY

Cat. No. PK-T.leucotreta-050W

Product Description:

The PK-T.leucotreta-050W Master Mix is designed to simplify the preparation of an isothermal amplification assay. The master mix contains a proprietary fast, novel DNA polymerase, proprietary thermostable inorganic pyrophosphatase, optimised reaction buffer, MgSO₄, dNTPs, ds-DNA binding dye (FAM detection channel) and optimised primers.

Stability:

The Isothermal Master Mix wet reagents are stable for a minimum of twelve months when stored at -20°C in a non-frost-free freezer.

Supplied Reagents:

1 vial containing 50rxn mastermix containing *Thaumatotibia leucotreta* primer mix

1 vial containing 0.6M Potassium hydroxide - cautious hazardous - especially to eyes - wear safety glasses

Usage:

Place sample (a 2-3mm section of caterpillar) into a tube containing 100µl 0.6M KOH. Incubate at 95°C for 5 minutes.

Add 100µl nuclease-free water and mix (i.e. dilute 1/2).

Add 5µl diluted extract (containing 0.3 M KOH) per 25µl LAMP reaction.

A typical 25µl reaction would contain the following:

Component	Volume	Final concentration
Isothermal Master Mix Template in 0.3M KOH	20µl 5µl	1x -
Total	25.0µl	

OptiGene Ltd.

Typical amplification conditions for this kit are:

Amplification 20mins 65°C

Anneal 98°C - 75°C - ramping at 0.05°C per second

Product anneal temperature; 81.5±1°C

Note:

Due to the presence of the inorganic pyrophosphatase there will be no accumulation of PPi.

Quality Control:

The Isothermal Master Mix has been tested for performance in Loop-mediated Isothermal DNA amplification.

Manufactured in the UK

OptiGene Ltd. Unit 5 Blatchford Road Horsham West Sussex RH13 5QR UK

Tel: +44 (0) 1403 274980 FAX: +44 (0) 1403 271017

Notice to purchaser: limited license

The purchase price of this product includes a limited, non-transferable license under European Patents EP1,020,534, EP1,873,260, EP2,045,337, EP1,416,055, EP1,724,361 or their foreign counterparts, owned by Eiken Chemical Co., Ltd.